

SAFETY DATA SHEET(SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

d. n OIL MATERIAL NAME

RECOMMENDED USE Industrial lubricant RESTRICTED USE Other than those above SUPPLIER'S NAME DENGENSHA TOA CO.,LTD.

ADDRESS 1-23-1 Masugata, Tama-ku, Kawasaki-shi, KANAGAWA, 214-8588 Japan

+81-44-922-1096 (Fax:+81-44-922-1119) Quality Assurance Dept. **TELEPHONE NUMBER** :

EMERGENCY TELEPHONE NUMBER : +81-44-922-1117 Overseas Sales Dept.

MANUFACTURER'S NAME : Nippon Grease Co., Ltd.

ADDRESS : 580 Horikawa-cho, Saiwai-ku, Kawasaki, Kanagawa, 212-0013, Japan : +81-44-386-1659(Fax:+81-44-386-4159) Sales Management Division **TELEPHONE NUMBER**

EMERGENCY TELEPHONE NUMBER: +81-78-731-8147 Technical Research Laboratory

DOCUMENT NUMBER DGZ3G10-DN02E FIRST EDITION July 15,1994 REVISED (18th) December 26, 2023

2. HAZARDS IDENTIFICATION

GHS Classification : Hazardous to the aquatic environment, acute hazard: Category 3

Hazardous to the aquatic environment, chronic hazard: Category 3

GHS Label Elements

Symbol(s) : No symbol Signal Words : No signal word

Hazard Statement : H402: Harmful to aquatic life

H412: Harmful to aquatic life with long lasting effects

GHS Precautionary Statements

Prevention : P273: Avoid release to the environment.

: No precautionary phrases. Response : No precautionary phrases. Storage

Disposal : P501: Dispose of contents/container to appropriate waste site or reclaimer in accordance

with local and national regulations.

Unclassified Hazard : Please see Section 4 - 8 before use for Prevention/Response/Storage/Disposal.

Information Used oil may contain harmful impurities.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Mixture : Mixture

Chemical Description : Industrial lubricant. Component Information : Vegetable oil 90-100% Additives <10%

Not possible to define.

Trade secret CAS registry number

Additional Information If product contained highly refined mineral oil, it contains <3% DMSO-extract,

> according to IP346. Until March 31, 2023

Pollutant Release and Transfer :

Register (PRTR) Law

Chemical Formula

ClassI 2,6-di-tert-butyl-4-cresol 1.0%

From April 1, 2023

ClassI 2,6-di-tert-butyl-4-cresol 1.0%

Industrial Safety and Health

Law

: Labeling(Delivery of Documents): 2,6-Di-tert-butyl-4-cresol 1-10%

Poisonous and Deleterious Substance Control Law

: Not applicable

The specific chemical identities and percentages of composition have been withheld as trade secrets.

4. FIRST AID MEASURES

General Information

Inhalation

: Not expected to be a health hazard when used under normal conditions.

Remove casualty to fresh air and keep at rest in a position comfortable for breathing. Cover with blanket to keep warm and rest in a quiet surrounding. Seek immediate

medical advice and attention.

Skin Contact Eye Contact

Ingestion

Wash skin with large amount of water using soap.

: Rinse cautiously with clean water for several minutes. Remove contact lenses, if present and easy to do, and continue rinsing. After rinsing for a minimum of 15

minutes, seek medical advice and attention. Without inducing vomiting, call a doctor for treatment. If mouth has been dirtied, clean

Most Important

Symptoms/Effects, Acute

& Delayed

Immediate Medical Attention, Special

Treatment

with water. : If swallowed, may irritate mucous membrane of stomach and induce vomiting. Inhalation if mist may cause feeling ill. Skin contact and eye contact may cause

irritation.

: Treat symptomatically. Call a doctor or poison control center for guidance.

5. FIRE FIGHTING MEASURES

Clear fire area of all non-emergency personnel.

Suitable Extinguishing

Media

: Concentrated strong liquid in mist and powder forms, carbon dioxide and foam. Use powder and carbon dioxide may be used small fires only. Effective to use foam to

shutdown the air in a large fires.

Unsuitable Extinguishing

Media

: Do not use water in a jet.

Specific Hazards Arising from Chemicals

: Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and

inorganic compounds

Fire fighting instructions : Water the surrounding equipment to cool them down. Cordon off the affected place

Protective Equipment & Precautions for Fighters

and its vicinity to all, except the concerned parties. : Ensure to wear protective equipment and approach from windward.



6. ACCIDENTAL RELEASE MEASURES

Avoid contact with spilled or released material. For guidance on selection of personal protective equipment see Section 8 of this SDS. See Section 13 for information on disposal. Observe the relevant local and international regulations.

Personal Precautions, **Protective Equipment and Emergency Procedures Environmental**

: Avoid contact with skin and eyes. Prepare suitable equipment and materials.

: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers. In event of entering in the sea, extend oil fences to prevent from spreading, and sop up with absorbent materials. Use chemicals and/or detergents, they must satisfy technical standards as set by the Ministry of Land, Infrastructure and Transport / Ministry of the Environment.

Methods and Material for **Containment and Clean** Up

Promptly remove all ignition sources and stop leakages. In a small leakage, absorb and recover by use of soil, sand, sawdust and waste clothes. In a large leakage, cordon off the danger zone, prevent from entering and enclose it with sand bank and stop outflow. Cover liquid surface with foam, and recover liquid into containers.

Additional Advice : Local authorities should be advised if significant spillages cannot be contained.

7. HANDLING AND STORAGE

HANDLING

Precautions

Technical Measures

: In handling this material over the allocated volume, ensure approval to meet requires of the laws. Keep away from heat, sparks, open flames, hot objects. No smoking. Take measures against static discharge. Ensure to wear clothing and shoes made of conductive materials. When fixing or processing machine, it carries out after removing dangerous objects completely. NEVER suck up (siphoning) this material by mouth. Wear suitable protect equipment if skin or eye contact may cause. Seal containers hermetically without handling in violent such as falling, dropping, or jolting.

Ventilation Precautions Precautions for Safe

see Section 8

explosion.

Handling STRAGE

: Use under normal temperature. Prevent from mixing water and impurity. Avoid contact with halogens, strong acids, alkali and oxidizing materials.

Conditions for Safe Storage

sunlight. It is recommended to lock up storage area. Use properly labelled and closeable containers. Avoid heat, sparks, open flame and static accumulation. : All electrical appliances shall be explosion-proof types, and they all must be earthed.

: Avoid contact and storage in same place with halogens, strong acids, alkali and

: Keep containers tightly closed and in a cool, well-ventilated place away from direct

Technical Measures Precautions for Safe Stroage Recommended

Materials

oxidizing materials. Storage in original containers. Do not pressurize empty containers. May cause rupture. Do not weld, heat up, drill or cut containers. May ignite the residue and cause

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

If the American Conference of Governmental Industrial Hygienists (ACGIH) value is provided on this document, it is provided for information only.

Equipment : Seal or install ventilations for mist occurs. Install eye shower and body shower near

working site. Standard Concentration : Not specified

Control

OSHA, Permissible **Exposure Limits (PEL)** : Data not available.

Occupational Exposure Limits

: Japan Society for Occupational Health(2018)⁽¹⁾ Data not available. ACGIH(2012) TWA[Inhalable fraction.](2) Data not available.

Protective Equipment Respiratory Protection : Skin protection not ordinarily required beyond standard issue work clothes. : No respiratory protection is ordinarily required under normal conditions of use. Use

appropriate equipment in response to the circumstances.



(3)



Hand Protection Eye/Face Protection Skin and Body

Use oil-proof protective hand gloves under prolonged or repeated skin contact. Wear safety glasses or full face shield if splashes are likely to occur.

Use oil-proof/long sleeved clothing under prolonged usage.

Appropriate Sanitary

Measures:

Protection

: Remove immediately all contaminated clothing. Contaminated clothing must be

laundered before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Liquid. Colour Light orange.

Odour Characteristic mineral oil

Not applicable. pН Melting point/Freezing point Data not available.

Boiling point or Initial boiling point and Boiling : Data not available.

Flash point 288°C (COC) **Evaporation rate** Data not available. **Flammability** : Capable of catching fire.

Upper / lower Flammability/Explosion limits Typical 1 - 7 %(V) (estimated)

Vapour pressure Data not available.

Density Approx. 0.96g/cm3 (15°C) Solubility Water: Negligible.

Partition coefficient n-octanol/water Data not available. **Auto-ignition temperature** Data not available. **Decomposition temperature** : Data not available. Kinetic viscosity 19.16mm²/s (100°C)

Relative vapour density : Data not available. Particle characteristics : Data not available.

10. STABILITY AND REACTIVITY

Chemical Stability : Stable under normal condition.

Hazardous Reactivity : Avoid contact with strong oxidizing agent.

Conditions to Avoid Avoid contact with halogens, strong acids, alkalis, and oxidizing materials.

Incompatible Materials Data not available.

Hazardous Decomposition : Hazardous decomposition products are not expected to form during normal storage.

Generates smoke, carbon monoxide, sulfurous acid gas etc. during combustion.

11.TOXICOLOGICAL INFORMATION

Basis for Assessment Information given is based on data on the components and the toxicology of similar products. Unless indicated otherwise, the data presented is representative of the main

component of a whole product, rather than for individual component(s).

Acute Toxicity : No data available. Skin Corrosion/Irritation No data available. : No data available.

Serious Eye Damage/Irritation

Respiratory or Skin : No data available.

Sensitisation

Products

Germ Cell Mutagenicity : No data available. Carcinogenicity : No data available. Reproductive Toxicity : No data available. Specific target organ : No data available.

toxicity

Aspiration Hazard. : Not classified as an aspiration hazard.



12.ECOLOGICAL INFORMATION

(3)

Basis for Assessment Ecotoxicological data have not been determined specifically for this product.

> Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the

main component of a whole product, rather than for individual component(s).

Toxicity No data available. Mobility in soil No data available.

Persistence/degradability **Bioaccumulative Potential** Expected to be inherently biodegradable.

No data available.

Hazardous to ozone layer Not classified because this product not contained substances listed on Montreal

Protocol and Ozone Layer Protection Law.

13. DISPOSAL CONSIDERATIONS

Material Disposal

1 Waste disposal yourself or entrust the industrial waste treatment company who obtained the prefectural governor's permission or municipal corporation. Disposal should be in accordance with applicable regional, national, and local laws and regulations.

2 Do not dispose into the environment, in drains or in water courses.

3 For landfill disposal, destroy by fire and confirm cinders agreed to Waste Disposal

In event of burning this material, ensure to carryout work in safe place with guards in position, and select a method that would not cause any harm or damage to others during combustion or explosion.

Container Disposal

: Purify and recycle or performs suitable disposal in accordance with the standard of related laws and regulations. Disposal with remove content completely.

14. TRANSPORT INFORMATION

International Restriction

UN Class, Shipping

Name

Land

UN Number : Not applicable.

Domestic Restriction

: Since domestic laws and regulations shown below are applicable, containers and

transportation methods shall be required to follow each and every regulation. Not considered as dangerous goods. Designated flammable goods. Flammable

liquids.

Fire Service Law:

Container:

If product classified as dangerous goods, use containers (other than tanker, tank car

and tank truck) for transportation usage, shall meet the Clause 2, Notice Attachment 3,

concerning dangerous materials.

Ship Safety Law: Not Dangerous Goods. Sea Civil Aeronautics Act: Not Dangerous Goods. Air

Specific safety measures for transportation

1 Caution: Flammable.

: Not Dangerous Goods.

2 Transport remarkably with containers may not cause friction or agitation.

3 Display signage on vehicle and provide with fire fighting equipment, if and when required to transport more than the specified quantity. Total piled height of vehicle

shall be less than 3 meters.

4 Consolidation of this material with dangerous goods belonging to the 1st and 6th Classification is prohibited.

5 Abide by other laws and regulations that are applicable.



15. REGULATORY INFORMATION

Fire Service Law : Not considered as dangerous goods. Designated flammable goods. Flammable

liquids.

Pollutant Release and : Until March 31, 2023

Transfer Register (PRTR) ClassI 2,6-di-tert-butyl-4-cresol 1.0%

From April 1, 2023

ClassI 2,6-di-tert-butyl-4-cresol 1.0% : Labeling(Delivery of Documents): 2,6-Di-tert-butyl-4-cresol 1-10%

Industrial Safety and Health

Poisonous and Deleterious

: Not applicable

Substance Control Law

Marine Pollution Protection

: Waste Oil Regulation.

Law

Sewage Control Law Water Pollution Prevention : Mineral Oil Disposal Regulation. (5mg/L)

: Oil Disposal Regulation. (5mg/L)

Waste Disposal and Public

Cleaning Law

: Industrial Waste Regulation.

16. OTHER INFORMATION

- Subscribe "%" in this document means weight percentage.

[Quotation]

- 1. Recommendation of Occupational Exposure Limits (2018), Japanese Society of Occupational Health
- 2. Thresholds limit values for chemical substances and physical agents and biological exposure indices, ACGIH (2012)
- 3. SDS of EU suppliers (2010-2012)

[Reference]

- Japanese Standards Association (JSA), JIS Z 7253:2019, JIS Z 7252:2019
- National Institute of Technology and Evaluation (nite), "GHS Information"
- Ministry of Economy, Trade and Industry, Chemical Management site.
 Ministry of Health, Labour and Welfare, "Label and SDS information for GHS model" - Ministry of Health, Labour and Welfare,

Safety Data Sheet (SDS) about hazardous chemical is provided for a entrepreneur as reference information for safety handling. Refer to this document and perform suitable handling. Nothing in this document shall reduce the user's responsibility to satisfy itself as to the suitability, accuracy, reliability, and completeness of such information for its particular use. There is no warranty against intellectual property infringement. The information contained in this document is based upon data believed to be reliable through our supply chain at the time. So, we could not guarantee all about the contents. This document is based on JIS Z7253:2019, and is not a guarantee of safety.

Contents of SDS updated periodically. SDS compliance is required as a rule to all business enterprises engaged in transaction of chemicals (including products containing them) with other businesses. Retailer/ Wholesaler must provide newest SDS to customers